

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office SEP 01 2000

Returned to applicant for correction \_\_\_\_\_

Corrected application filed \_\_\_\_\_

Map filed SEP 01 2000

\*\*\*\*\*

The applicant **Washoe County**, hereby makes application for permission to change the **Point of Diversion and Manner of Use of a portion**, of water heretofore appropriated under **Permit 53247**

\*\*\*\*\*

1. The source of water is **Underground**
2. The amount of water to be changed **0.0435 cfs; 6.0 af**
3. The water to be used for **Dust Control and Construction**
4. The water heretofore permitted for **Municipal**
5. The water is to be diverted at the following point **NE¼ NE¼ Section 22, T.19N., R.20E., M.D.B.&M., or at a point from which the E¼ corner of said Section 22 bears S. 32° 00' 00" E., a distance of 2,460.0 Feet**
6. The existing permitted point of diversion is located within **Lot VIII Section 16, T.19N., R.20E., M.D.B.&M., or at a point from which the W¼ corner of Section 21, T.19N., R.20E., M.D.B.&M., bears S. 08° 59' 27" W., a distance of 6,479.44 feet (HV #3).**
7. Proposed place of use **No change – please refer to Exhibit "A" attached.**
8. Existing place of use **Please refer to Exhibit "A" attached.**
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **January 1 to December 31** of each year.
11. Description of proposed works **Drilled well, pump, motor, and distribution system.**
12. Estimated cost of works **N/A**
13. Estimated time required to construct works **N/A**
14. Estimated time required to complete the application of water to beneficial use **N/A**
15. Remarks: **Please refer to maps filed under Permit 53246 for the Existing Place of Use and Point of Diversion.**

By **Vahid Behmaram, Water Rights Tech Sprvsr s/Vahid Behmaram**  
**Washoe County Dept. Water Resources**  
**P.O. Box 11130, Reno, NV 89520-0027**

Compared my/cmf hf/cmf

Protested \_\_\_\_\_

\*\*\*\*\*

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This temporary permit to change the point of diversion and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 53247 is issued subject to the terms and conditions imposed in said Permit 53247 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This temporary permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.

The issuance of this temporary permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This temporary permit is issued pursuant to the provisions of NRS 533.345 Section 2 and will expire on **February 11, 2002** at which time all rights herein granted shall revert to the right being changed by this temporary permit.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0435 cubic feet per second, but not to exceed 6.0 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

Proof of completion of work shall be filed before:

Water must be placed to beneficial use on or before:

Proof of the application of water to beneficial use shall be filed on or before:

Map in support of proof of beneficial use shall be filed on or before:


**TEMPORARY**

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 12th day of February A.D. 2001

  
\_\_\_\_\_  
State Engineer

## ATTACHMENT "A"

PLACE OF USE

<u>USE WITHIN</u>	<u>SECTION</u>	<u>T-N</u>	<u>R-E</u>	
SE1/4 NW1/4	4	18	20	M.D.B. & M.
SE1/4 NE1/4	4	"	"	"
S1/2	4	"	"	"
E1/2 E1/2	5	"	"	"
W1/2 SE1/4	5	"	"	"
E1/2	8	"	"	"
ALL	9	"	"	"
N1/2	16	"	"	"
NW1/4 SW1/4	16	"	"	"
NE1/4 NE1/4	17	"	"	"
S1/2 SE1/4	20	19	20	M.D.B. & M.
NE1/4 SE1/4	20	"	"	"
ALL	21	"	"	"
ALL	22	"	"	"
W1/2	23	"	"	"
W1/2	26	"	"	"
ALL	27	"	"	"
N1/2 NW1/4	28	"	"	"
NW1/4 NE1/4	28	"	"	"
NE1/4 NE1/4	29	"	"	"
SW1/4	33	"	"	M.D.B. & M.